


FORMAT

A Magazine from INDUG
For DISCiPLE & PLUS D Users

ISSUE #7 - FEBRUARY 1988



THE MAG WITH MORE BYTE...

INDUG.

CONTENTS

ISSUE #7 - FEBRUARY 1988


The Editor's Page.....	3
DISCiPLE News.....	4
Expanding GENS.....	5
Basic into Tasword II.....	9
The Last Word on PLUS D.....	10
Spring Competition.....	11
Bargain Corner.....	12
Back Issue Service.....	12
I.B.U. The Machine Code.....	13
Data Compiler.....	17
User Software Exchange.....	19

NEXT MONTH INSIDE THE PLUS D

© Copyright 1987 INDUG. All Rights Reserved.

No part of this publication may be reproduced in any form without the written consent of the publisher. INDUG members may copy program material only for their own personal use.

FORMAT is published by INDUG, 34 Bourton Road, Gloucester, GL4 0LE, England. Telephone 0452-412572. DISCiPLE and PLUS-D are trade marks of MILES GORDON TECHNOLOGY, Unit 4, Chesterton Mill, French's Road, Cambridge, CB4 3NP, England. The DISCiPLE interface is marketed by ROCKFORT PRODUCTS, 81 Church Road, Hendon, London, NW4 4DP.



I'm sorry the January issue was a little late going out, but we had a change of printers at the last moment, I hope you found it worth waiting for.

This month sees the end of the series of articles on the Incremental Backup Utility from Nev Young, it's been the biggest program we've printed but I know from your letters and phone calls that it has been well received. Issue #7 sees the start of two new and interesting series. The first, EXPANDING GENS from Dave Kennedy will interest most machine code programmers, there's lots to learn even if you don't use GENS yourself. The other comes from Steve Nutting with a DATA COMPILER program as a preliminary to an irregular series on new features for the GDOS operating system.

We also start a new competition this issue, with over THREE HUNDRED pounds worth of prizes for the winners, not bad I think you will agree. On the subject of competitions I must say how delighted I was with the response to the XMAS WORDSQUARE COMPETITION, so far there's been over sixty entries, the winners will be announced in the next issue. Let me know if you want us to make this a regular feature.

Some months ago I promised the start of a letters page in FORMAT. Well so far there's been no letters to print, apart that is from the letters of praise for FORMAT which I am of course to modest to print (I frame them instead so keep them coming). Lets have a few letters, lets get a few debates going in these pages, lets air a few views. I'm also still looking for writers. Any article on any subject from any angle. Don't be afraid, send it in.

Anyone out there read CRASH? well the Feb'88 issue contains a very good review of the PLUS D by Simon Goodwin, it contains some nice comments about INDUG and FORMAT, good taste that man.

See you next month.

Bob Brenchley. Editor.

DISCiPLE NEWS.

KEMPSTON MOUSE

DISCiPLE / PLUS D owners have finally got a mouse to use with their machines. Kempston Data Ltd have now launched a fully compatible mouse and interface together with a cassette of Toolkit software.

The Mouse is their usual high resolution two button unit connected to a small interface (same size as their joystick interface) which plugs into the DISCiPLE's rear port. The PLUS D requires the MicroSlot two-way adaptor from MGT. The Toolkit software is a set of machine code routines designed for use from Basic, they give a WIMP environment (Windows, Icons, Menus, Pointers) with lots of extras. A full review is planned for the next issue.

The new Mouse costs £49.95 incl VAT and p & p. Existing Kempston Mouse owners are not left out in the cold either, an upgrade service is available, simply return your unit to Kempston with a cheque for £15 and they will upgrade it and return it with the new software.

Kempston Data Ltd, 22 Linford Forum, Rockingham Drive, Linford Wood, Milton Keynes, MK14 6LY. Tel 0908 690018

SINCLAIR PLANS BIG-BROTHER TO Z88

Uncle Clive may launch a desktop computer as an big brother to his successful Z88 laptop. With the growing sales of the Z88 his new computer will help to establish the business market he failed to reach with the QL. Meanwhile the USA will be seeing its first shipments of the Z88 in the next 6 to 10 weeks.

There is, ALAS, no plans for the launch of a games machine (or so he says).

+3 IN +2

Rumours are floating around about a Spectrum+2.5? This beast, which has been sighted abroad, is outwardly a +2 but with a modified +3 circuit board inside. It is believed that the +3 board is cheaper to make and this is the main reason for the experiment.

Lets hope Amstrad rethink it's launch of the new version of the +2, with the missing lines on the edge connector and it's changed paging system there will be little hardware and software to use with it.

EXPANDING GENS

By: DAVE KENNEDY

GENS, part of the excellent DEVFAC system from HISOFT, has long set the standard for Spectrum assemblers. Few M/C programmers will not have a copy in their collection of utilities. While the program will work with the DISCIPLE / PLUS D you really don't get the best out of the disc system.

Over the next few months I will list a set of routines that will modify version 3.2M of GENS to work more fully with the DISCIPLE / PLUS D disc system and then add a few new commands which I think you will find useful. The modification method is fully described so that it could be altered for another version of GENS.

The routines come in two sections, the first simply alters the GET, PUT and OUT commands to work with disc and adds a CAT command without using any extra memory. The second section adds a 'block line copy' command and a more legible printer listing and uses 420 bytes of memory below GENS. The assembler program still remains totally relocatable.

You should load your version of GENS3 into memory at 27000 and also at high memory, say 40000. The assembler text should be entered in the high memory version and run. The low memory modified version should then be saved before calling so that the relocation code is not altered. All addresses quoted assume that the version of GENS to be modified is loaded at 27000.

When arguments are used with an assembler command, for example P1,999,FILENAME then the binary values of the line numbers will be stored at 34298 #85FA (NUM1) and 34300 #85FC (NUM2) and any other input in the internal buffer at 34256 #85D0. The main SAVE routine is from listing line 110 (OUT1), if the input filename is not already used then the required code block is saved. Otherwise an ERASE option is given and then either a SAVE or exit made. I save the textfile as a code block for speed - it is several times faster than saving as a serial file, although the "T" command is not really usable with a block save.

The CAT command will return to Basic at statement 4 of line 1 this can, of course, be changed. At line 1 I have :-

```
RAND USR 26580:PRINT USR 60000:GOTO 1: CAT PEEK 16384;"???????"
??+":PAUSE 0:GOTO 1
```

Notice how the tenth character is a "+", I add this to the filename in the GET and PUT routine to produce an easier to read CAT listing. For single drive systems you could alter the listing to default to drive one.

The load command (GET at line 1150) forms the GDOS 'User File Information Area' within GENS modifying the filename buffer as necessary. If the file is not found in the disc directory then a return to GENS input mode is made at line 1240, otherwise the code length details are taken from the header and after file loading the GENS textend marker at 27054 is modified. If the textstart at 34132 does not equal the previous textend then the textfile is renumbered with a step interval of one as a textfile was already present.

The SAVEA routine from line 380 modifies the internal buffer and forms the ten character filename, with the tenth character changed to a "+" so that a CAT listing of assembler only files may be made. A table of the assembler command addresses is stored from 34132 #8554, in the form of letter then call address, this is modified as required by lines 1660.

As my keyboard has an unshifted "-" character, I prefer to use it in place of the ":" as the tape/disc decider in the filename. This modifies the GENS "CP ":" instruction, any other value can be used.

```

10  DK      EQU 27000
10  DK      EQU 27000
20  DK1     EQU DK-1
30  DK2     EQU DK1-1
40
50          ORG #71F6          ;"p" - save textfile
60  PUT     CALL SAVEA-DK      ;"p" = save textfile
70          LD (IX+14), "+"    ;"+" = file identifier
80          JR OUT1
100  OUT     CALL SAVEA-DK      ;"o" = save object code
110  OUT1    PUSH HL           ;code length
120          PUSH DE           ;code start
130  OUT2    RST 8             ;open file header
140          DEFB #35
150          JR NC,OUT4         ;if carry, filename already used
160  R3      CALL ERASE-DK      ;print, beep and input
170          AND 223            ;to upper case
180          CP "y"
190          JR Z,OUT3          ;if "y" then erase file
200          POP HL
210          POP HL             ;else reset stack and then
220          RET                ;abandon erase & return to input
230  OUT3    LD IX,BUFFER      ;reset "ix" as altered by above
240          PUSH IX
250          RST 8
260          DEFB #41           ;erase file
270          POP IX             ;restore "ix"
280          JR OUT2            ;and repeat open file
290  OUT4    POP DE             ;code start
300          POP BC             ;code length
310          RST 8
320          DEFB #37           ;save code block to disk
330          RST 8
340          DEFB #38           ;close file
350          RET
360

```

```

370          ORG #7132          ;overwrite m/drive code
380  SAVEA   LD (BUFFER+16),HL ;code length
390  R6      LD (BUFFER+18),DE ;code start
400  SAVEB   PUSH HL
410          PUSH DE
420  R7      LD HL,BUFFER
430          PUSH HL
440  R8      LD A,(BUFFER+3) ;drive number
450          SUB 48
460          CP 1
470          JR Z,SAVE1        ;if not drive "1" then
480          LD A,2            ;default to drive "2"
490  SAVE1   LD (HL),A
500          PUSH HL
510          RST 8            ;use m/drive select drive hook code
520          DEFB #21        ;to overcome "dos" problem
530          EI              ;disabled by hook code
540          POP HL
550          INC HL            ;recover buffer position
560          LD BC,#0A00      ;b = filename length
570          LD (HL),C
580          INC HL
590          LD (HL),C
600          INC HL
610          LD (HL),"d"
620          INC HL
630          LD (HL),4        ;directory type
640          LD A,13
650  SAVE2   INC HL
660          CP (HL)          ;if n/line then at filename end
670          JR Z,SAVE4
680          DJNZ SAVE2      ;for 10 characters
690          INC HL
700  SAVE4   XOR A
710          CP B            ;if not 10 character length
720          JR Z,SAVE6
730  SAVE5   LD (HL)," "    ;then pad out with spaces
740          INC HL
750          DJNZ SAVE5
760  SAVE6   LD (HL),3      ;code type file
770          LD B,5
780  SAVE7   INC HL          ;bypass code length & start details
790          DJNZ SAVE7
800          LD (HL),C
810          INC HL
820          LD (HL),C
830          INC HL
840          DEC C
850          LD (HL),C
860          INC HL
870          LD (HL),C        ;finish setting up buffer
880          POP IX          ;buffer start
890          POP DE          ;code start
900          POP HL          ;code length
910          RET

```

Next month, the end of the PUT, GET & OUT coding and the start of the new features.

NATIONAL DISC SUPPLIES

GIVE YOUR DISC DRIVES A TREAT
GIVE THEM THE BEST

5¼ inch DS/DD 96tpi Discs
Duplication Standard

25 Discs	only	£19.95
50 Discs	only	£36.95
75 Discs	only	£52.95
100 Discs	only	£65.95

Bulk Packed with Sleeves

3½ inch DS/DD Bulk Packed

10	25	50
£14.95	£35.95	£64.95

SEND CHEQUE/P.O. IN STERLIN TO

NATIONAL DISC SUPPLIES
16 Westland Rd, Hardwicke,
Gloucestershire, GL2 6QH.

ALL PRICES INCLUDE UK POST AND PACKING.
OVERSEAS ADD £3 EUROPE ADD £1.50.

BASIC TO TASWORD 2.

By: J.D.RELL

I often need to print out part of a Basic program within an article. At first I printed the top part of the page from Tasword 2, then LLISTed my program, and finally printed the rest of the article. This was OK if the program was to form one block, but just about impossible if the lines were to be interlaced with lines on the page.

If I had resorted to typing in the program lines then errors could have been introduced and these would have been difficult to find. So I needed another method. Now Tasword 2 stores it's files as CODE starting at address 32000. If the Spectrum LLIST could be redirected into memory then my problems would be solved.

This program was originally written for Microdrives and owes a lot to the excellent book "MASTER YOUR ZX MICRODRIVE" by Andy Pennell.

```
10 REM BASIC TO TASWORD 2 FILE CONVERTER.
11 REM V1.3 JUNE 1987.
12 REM WRITTEN BY J.D.R.
20 CLEAR 31999:REM clear space for Tasword file
30 GOSUB 200
50 CLS
60 PRINT INVERSE 1;"BASIC TO TASWORD 2 FILE CONVERTER."
70 PRINT "Converter loaded. Now:-"
80 PRINT "A: LOAD your basic program."
90 PRINT "B: PRESS IN the DISCiPLE's INHIBIT button."
100 PRINT "C: TYPE 'OUT 31,0'"
110 PRINT "D: TYPE 'RANDOMIZE USR 23360'"
120 PRINT "E: TYPE 'LLIST'"
130 PRINT "F: RELEASE INHIBIT button."
140 PRINT "To SAVE your file type:-"
150 PRINT "SAVE d1""NAME""CODE 32000,PEEK 23353+256*PEEK23354"
160 STOP
200 RESTORE
210 FOR I=23296 TO 23372: READ N: POKE I,N: NEXT I
220 RETURN
300 DATA 254,13,32,15,237,91,57,91,62,63
310 DATA 163,200,62,32,205,28,91,24,245,254
320 DATA 165,56,5,214,165,195,16,12,237,91
330 DATA 57,91,42,178,92,35,25,119,19,237
340 DATA 83,57,91,254,32,40,5,253,203,1
350 DATA 134,201,253,203,1,198,201,0,0,0,0,0,0
370 DATA 42,79,92,62,15,141,111,54,0,35
380 DATA 54,91,201
9999 CLEAR : SAVE d1"BASIC-TAS" LINE 10
```

TLW-PLUS D

Since Trojan Products took over marketing 'THE LAST WORD' from Myrmidon Software last year, many DISCiPLE users have been putting this excellent word processor to good use.

Alas, new PLUS D owners have not been so lucky, slight hardware differences and the omission of an interrupt vector table in TLW have meant that the program crashed as soon as it was loaded. Well now the problems are solved. Nick Buckenham, the author of TLW (and owner of Myrmidon), has kindly sent in the following alterations to allow TLW to work with the PLUS D.

I must thank Nick for the speed in which he has sorted things out, if only all software companies were as good as this.

1. Without the PLUS D attached to your Spectrum, load TLW from tape as instructed in the manual.
2. Enter as direct commands `POKE 65252,190 POKE 65253,191`
3. Type `CLEAR 40000` then `RUN` the program. Go into the word processor (Option 1 from menu) then press the `ENTER` key followed by Extended-Mode 'B' to return to the menu. Now press '0' to exit to Basic.
4. Repeat step 3 but use `CLEAR 30000` instead. This has now cleared 395 bytes at the bottom of the TLW machine code for the new material, given below, to occupy.
5. Now enter these pokes. `POKE 64139,192 POKE 49087,195`
`POKE 49088,161 POKE 49089,244`
6. As a direct command enter this line of Basic:-
`FOR N=49152 TO 49409: POKE N,191: NEXT N`
7. Alter the code file start and length values in line 60 to `49087,16449` (was `49480,16055`).
8. Now `SAVE` the program to a blank tape by doing a `RUN 50`
9. With your PLUS D attached, 'BOOT' your disc system and load the amended TLW from tape. Then carry out the instructions (in TLW's manual) to convert the program for the DISCiPLE. The mods in step 7 should also now be done to line 80.
10. Save 'THE LAST WORD' to disc by entering `RUN 70`

Thats all there is to it, if things don't work then run through again and make sure all the POKES are entered correctly, and as direct commands.

COMPETITION

A new competition, open to all INDUG members, with really FANTASTIC prizes.

Yes our SPRING COMPETITION is a must for everyone. We have lots of prizes including a super NEW PRINTER, Lots of SOFTWARE, stacks of DISCs and much much more. In fact over THREE HUNDRED POUNDS worth of prizes for members to win.

So what have you got to do to win a prize? well it's simple really (well not too difficult) just write a piece of software. It could be a UTILITY, a BUSINESS program, an EDUCATIONAL program or a GAME. It can be in Basic, Machine Code or any other language the Spectrum will understand and provided we can run it.

Each program we receive, and you can submit more than one, will be evaluated by a small team of reviewers and prizes will be awarded on the basis of:-

- a) Use of machine.
- b) Standard of programming.
- c) it's appeal to Spectrum and/or DISCiPLE / PLUS D users.
- d) Originality.

Your program need not use the DISCiPLE or PLUS D, it could be written for an unexpanded Spectrum and it wouldn't loose marks. Entries should be on 5.25" 40/80 track, 3.5" 80 track discs or on tape. Please include detailed instructions and a short write-up on how (and why) you wrote the program.

Address to INDUG, 34 Bourton Road, Gloucester, GL4 0LE. and mark the envelope :- SPRING SOFTWARE COMPETITION.

Closing date is 30th April 1988. Winners will be notified by post and the results will be published in the July issue. So get writing, there's no limit to the number of entries you can make. As usual in these things, the Editor's decision is final (and no bribes under £500 will be considered).

The winners, and in fact all other submissions, will also be considered for publication in FORMAT, or on tape, so even if you don't win a top prize you can still earn money from you efforts. A copy of the full rules will be available on request.

GOOD LUCK

BARGAIN CORNER

BRISTOL Forty year old NEWCOMER to the DISCiPLE wishes to swap ideas and software preferably with someone of similar age living in or near the Bristol area. Ring 04545 - 3870 or write to D.Nethercott, 144 Beach Road, Severn Beach, Bristol, BS12 3PQ.

SPECTRUM 48K Three Interface 1s, Three Drives, Serial Printer, Alphacom Printer, ZXLPRINT III, PLUS 'D', Voyager Modem, Tandy Colour Graphic Printer, £300 the LOT. May split. Phone Gordon on 0276 32498.

LONDON 60 Year old DISCiPLE dunce would like to commiserate with fellow-sufferer in Crystal Palace area. Ring Jack Law on (01) 653 8601.

YOUR ADVERT

Buying, Selling, Pen Friends, Clubs, etc.

This space is reserved for you. Any PRIVATE advert (subject to acceptance) will be run in the next available issue of format. It costs you just £1.25 for up to 30 words. Any software sold must be original copies, with full instructions and in working order. The publishers will not be held, in any way, responsible for adverts in this column.

* - * - * - *

BACK ISSUES BACK ISSUES BACK ISSUES BACK ISSUES BACK ISSUES
BACK ISSUES BACK ISSUES BACK ISSUES BACK ISSUES BACK ISSUES
BACK ISSUES BACK ISSUES BACK ISSUES BACK ISSUES BACK ISSUE
S BACK ISSUES BACK ISSUES BACK ISSUES BACK ISSUES BACK ISSU

For members who have missed past issues of FORMAT (or perhaps worn theirs out through constant use) we have now introduced, by popular demand as they say, a back-issue service.

The cost is 60p per copy (80p overseas). Your copies will be sent out as soon as possible but, in order to keep printing costs down, it may take up to 21 days for us to dispatch.

Available Issues

Issue 1 - August 1987.	Issue 4 November 1987
Issue 2 - September 1987.	Issue 5 December 1987
Issue 3 - October 1987.	Issue 6 January 1988

INCREMENTAL BACKUP UTILITY

By: NEV YOUNG

In this, the final article on I.B.U., you will find all the machine code routines you need.

; it has to start somewhere so lets start at 65000 leaving 535
bytes for code

;
ORG 65000
THE_START:

;
; A routine for filling any area of memory with a single byte.
The start address is held in the word var 'clr_start' & the
end address is held in the word var 'clr_end'. The byte to be
placed into the area is held in 'clr_byte'. It will be placed
into all memory locations inclusive of the start and end
addresses.

;
CLR_START: DEFW 00
CLR_END: DEFW 00
CLR_BYTE: DEFB 0
;
CLR_MEM:
LD HL,(CLR_END)
LD DE,(CLR_START)
SBC HL,DE
LD B,H
LD C,L ; BC now contains the number of bytes to fill

;
LD HL,(CLR_START)
LD D,H
LD E,L
INC DE ; DE points to (CLR_START+1)
LD A,(CLR_BYTE) ; get the byte
LD (HL),A ; and put it into the first location
LDIR ; now clear the memory
RET ; and return

;
; a routine to compare two areas of memory. the start addresses
are held in the word variables 'BASE_1' and 'BASE_2' and the
number of bytes to compare is held in the single byte variable
'C_LEN'

;
; the routine will return with BC = 0 if the compare is ok
otherwise it will return with B = to the number of bytes to
compare and C = to the value of the difference (XORed) of the
two bytes that caused the compare failure

;
BASE_1: DEFW 00
BASE_2: DEFW 00


```

C_LEN: DEFB 0 ; compare 256 bytes
      DEFB 0 ; used to ease programming
;
COMP_1: ; start here
      PUSH IX ; save IX
      LD HL,(BASE_1)
      LD IX,(BASE_2)
      LD BC,C_LEN
;
COMP_LOOP: ; main loop
      LD A,(HL)
      XOR (IX)
      JR NZ,COMP_END
      INC HL
      INC IX
      DJNZ COMP_LOOP
;
COMP_END: ; the exit route
      LD C,A ; the difference
      POP IX ; restore IX
      RET ; go home
;
;
; This routine will build a sector map in memory for the
; disciple discs. Each bit is one sector and corresponds to the
; bit map contained within the file headers. The bits are chosen
; from a 256 byte area of memory that is assumed to be a
; disciple disc header. The start address is contained in the
; word variable map_addr and the area to build the map starts at
; the address contained in the word variable 'MAP_STORE'. The
; code itself is relocatable
;
;
MAP_ADDR: DEFW 00
MAP_STORE: DEFW 00
;
MAP_BUILD:
      PUSH IX ; save IX
      LD HL,(MAP_ADDR)
      LD IX,(MAP_STORE)
      LD B,0 ; map all 256 bytes
;
; I am well aware that the map only goes from byte 14 of the
; sector through to byte 210. If you are concerned about a few
; millisecs then change it.
;
MAP_LOOP:
      LD A,(IX)
      OR (HL) ; logical or of the map bits
      LD (IX),A
      INC IX ; move on to the next byte
      INC HL
      DJNZ MAP_LOOP
;
; fall through to the return routine
;
      POP IX
      RET

```

```

;
; Here we have a routine that, given a discple sector map, will
; return with bc = the sector number of the next sector used
; within the map. In this case the first sector on the disc is
; 0. The lowest sector returned is 40 ie the first sector after
; the directory
;
; The track and sector can be calculated from
;   t = INT (BC / 10)
;   s = 1 + BC - t * 10
; all that then remains is to correct for the discontinuity when
; you change sides. The routine is very repetitive but it works.
; Also you must note that as part of its function it will
; destroy the sector map. When there are no more bits set in the
; map it will return with BC = 0FFFFH.
;
; It is intended that this routine be used with the map_build
; routine and uses the same map_store
;
NEXT_START:
  LD BC,39
  LD DE,15
  LD HL,(MAP_STORE)
  ADD HL,DE
  LD DE,210-15
;
NEXT_0: ; test the first bit in this byte
  INC BC ; inc the sector number
  BIT 0,(HL) ; do the test
  JR Z,NEXT_1 ; if not set move on to the next bit
  RES 0,(HL) ; otherwise reset it
  RET ; and return
;
NEXT_1: ; same as before but for a different bit
  INC BC
  BIT 1,(HL)
  JR Z,NEXT_2
  RES 1,(HL)
  RET
;
NEXT_2:
  INC BC
  BIT 2,(HL)
  JR Z,NEXT_3
  RES 2,(HL)
  RET
;
NEXT_3:
  INC BC
  BIT 3,(HL)
  JR Z,NEXT_4
  RES 3,(HL)
  RET
;
NEXT_4:
  INC BC
  BIT 4,(HL)
  JR Z,NEXT_5

```

```

RES 4,(HL)
RET
;
NEXT_5:
INC BC
BIT 5,(HL)
JR Z,NEXT_6
RES 5,(HL)
RET
;
NEXT_6:
INC BC
BIT 6,(HL)
JR Z,NEXT_7
RES 6,(HL)
RET
;
NEXT_7:
INC BC
BIT 7,(HL)
JR Z,NEXT_8
RES 7,(HL)
RET
;
NEXT_8: ; done all the bits in this byte so lets move on to the
next
;
INC HL
DEC DE
LD A,D ; test if all bytes done
OR E ; DE = 0 if all done
JR NZ,NEXT_0 ; more to do so jump back
LD BC,0FFFFH ; report end
RET ; and go home
;
THE_END: ; mark the end address
;
; this is the linkage section. here all the memory locations
used are listed so that they can be peeked at by basic basic
should then store the addresses in similar named variable and
use that to reference the machine code variables
;
ORG 65500 ; start at a known address.
DEFW THE_START
DEFW CLR_START
DEFW CLR_END
DEFW CLR_MEM
DEFW BASE_1
DEFW BASE_2
DEFW COMP_1
DEFW MAP_ADDR
DEFW MAP_STORE
DEFW MAP_BUILD
DEFW NEXT_START

```

Well that's it, I hope I have explained things well enough and I hope you find I.B.U. as valuable as I do. For those of you who dread the task of typing in the program turn to the USE page.

DATA COMPILER

By: STEVE NUTTING

This data compiler is going to be a very important machine code routine over the coming FORMAT issues. The routine compiles special REM data values at high speed in less than a second and then dumps the code to Spectrum memory. The routine is fully error trapped and will display helpful error messages. Type in the long listing and RUN it if all o.k. the program will automatically save the machine code routine to disc, keep this in a safe place you will need it soon.


Lets try an example listing which will help you to understand what the compiler does and how to correct errors. Type this in:-

```
5 CLEAR 29999: RANDOMIZE USR 64512
10 REM s30000
20 REM 62,70,33,0,64,17,0,24,117,84,30,1,237,176
30 REM 119,1,255,2,237,176,201
40 REM e
```

Then type CLEAR 64511: LOAD d1 "datacomp" CODE, Type RUN and you will see on top of the screen The Compile address which is where the following bytes will be poked into memory, note line 10 REM s defines the address. You may just see on the screen numbers after the LINE wizz past, this shows which line the compiler is working on. It should end up showing line 40. Note REM e tells the compiler when to stop. This should always be at the end of a listing.

Lets now make some alterations to the listing to force error messages, first alter line 10 to become REM s64512 now type RUN, you should now come up with the error message ADDRESS OUT OF RANGE BETWEEN RAMTOP+1 TO 64511. This means you have tried to compile bytes below RAMTOP or above 64511 which may crash the computer. Now alter line 10 to REM s40000 and alter byte 70 in line 20 to 700 then type RUN. This time the error message BYTE OUT OF RANGE BETWEEN 0-255 20:2, this means that in line 20 and the 2nd byte in that line is not in range between 0-255. So press EDIT and alter byte 700 to 70, note no need to LIST 20 then EDIT, my routine automatically sorts the line so you only need to press EDIT. Next alter line 30 to become 30 REM 19,1,255,237,176,201:991 and type RUN. You now should see CHECKSUM DATA ERROR 30:7, meaning the the bytes in line 30 do not add up to 991 because you either entered a wrong byte (in this case 19 should be 119) or you had too many or too few data statements in line 30 (in this case we missed out data byte 2). If we now alter line 30 to become REM 119,1,255,2,237,176,201:991 and type RUN we shouldn't get an error message. Now delete line 10 and type RUN, you should get the error message NO COMPILE ADDRESS AT START. This means you have not entered the REM s address to define the memory location where the following bytes will be poked into.

The first special REM listing will appear in the next issue of format with others to hopefully follow soon after.



USERS SOFTWARE EXCHANGE

The User Software Exchange (USE for short) provides DISCiPLE and PLUS D owners with a growing range of software specially designed for their systems.

Here is the latest list of software for sale to INDUG members. The software is supplied on tape, for easy transfer to any format/size of disc, thus keeping costs as low as possible.

<u>Tape No</u>	<u>Title</u>	<u>Program Description</u>
T001	LCOPY	Routines to replace the GDOS printer dump routines in your system file. Enables Epson compatible printers without Esc * to be used with both SCREEN\$ 1 & 2 and SNAPSHOT prints.
T002	MULTI-POKE	Program to display and edit 48K SNAPSHOT files. Full facilities for entering published POKES i.e. Infinite Lives etc. Makes use of printer if attached.
T003	G-HACKER	A graphic investigator. Look inside commercial programs, find the Sprites and pictures. Works in 48K mode but will handle many 128K programs.
T004	I.B.U.	The highly successful 'Incremental Backup Utility', written by Nev Young.

Each tape, costs £3.95, or £4.95 including airmail postage for overseas members. Instructions are supplied where needed and all tapes are professionally recorded. Send your order (on a separate piece of paper please), clearly stating the Tape Number; Title; Quantity required and your membership number, to:- INDUG, USE ORDERS, 34 Bourton Road, Gloucester, GL4 0LE, England. Cheques (drawn on a UK bank), Postal Orders, Euro Cheques or Cash accepted. Payment must be in STERLING. Please allow 28 days for delivery.

P.S. We urgently need more software, send your latest creation for evaluation, it may be worth more than you think.

**SPECIAL
OFFER!**

THE DISCIPLE DISC-MANAGER

**A SUITE OF INTERACTIVE PROGRAMS
TO MAKE THE MOST OF YOUR DISCIPLE**

GET TOTAL CONTROL OF YOUR DISCS

COMPRISES 3 PROGRAMS

SPECIAL INDUG PRICE

**ONLY
£9.95
SAVE £5**

The DISCIPLE Disc Manager gives you powerful disc handling and organising capabilities that would cost £100's on other machines!

- **THE CONFIGURER** This program actually **names** and **numbers** DISCIPLE discs to your requirements. Now disc identification is simplicity itself!
- **THE CATALOGUER** An amazing program that allows you to **catalogue, search, update and display** every program on every disc... **NO typing in**, simply insert all your discs, one at a time into drive 1 and the Cataloguer sorts, colates and displays all programs into numerical order, **automatically!**
- **THE AUTOLOADER** This program is the real workhorse of this suite of programs. You can **automatically** load, erase, copy, re-name all programs with 2 catalogue display options, and 2 disc facility. You can now **ERASE or RE-NAME up to 15 programs at one time**. (Ideal for multiple re-naming after a snap shot session). The Autoloader on every disc makes using the DISCIPLE so simple, so easy and such a pleasure to use, that you'll wonder how you could ever have Managed without it!

**COMPATIBLE
WITH THE NEW
★ PLUS D ★**

**ONLY
AVAILABLE
FROM**

**BETTER
BYTES**

BETTERBYTES, 10 SPITAL TERRACE, GOSFORTH, NEWCASTLE UPON TYNE NE3 1UT

Mail Orders Welcome State if Disciple or Plus D and give details of drive type etc. Overseas orders add £1.50 p&p
(Please make cheques payable to D.L. HOOD)